Nannycare*

First infant milk.

FROM BIRTH

400g and 900g size. 4.3g scoop.



Nutritionally complete breast milk substitute.

Goat milk based formula suitable for infants from

Can be used if your baby is not being breastfed, or to complement breastfeeding.



NUTRITION INFORMATION

Typical values per 100m made up as directed	I	Per 100ml prepared feed		
Energy	kJ kcal	280 66		
Fat	g	3.4		
of which saturates	g	1.3		
	of which monounsaturates g of which polyunsaturates g			
- Linoleic acid (omega	0.54 390			
 α-Linolenic acid (omega 	58			
Carbohydrate	7.4			
of which sugars				
of which lactose	o g	7.4 7.4		
Fibre	g	Nil		
Protein	g	1.3		
Sodium	g	0.018		
(Salt equivalent	g	0.045)		
VITAMINS		· · · · · · · · · · · · · · · · · · ·		
Vitamin A	μg RE	70		
Vitamin D ₃	μg	1.0		
Vitamin E	mg α-TE	1.5		
Vitamin K ₁	μg	6.7		
Vitamin C	mg	10		
Thiamin (B _I)	μg	62		
Riboflavin (B ₂)	μg	120		
Niacin (B ₃)	μg	680		
Vitamin B ₆	μg	36		
Folic acid	μg	8.7		
Vitamin B ₁₂	μg	0.18		
Biotin	μg	2.3		
Pantothenic acid	μg	350		
MINERALS				
Potassium	mg	74		
Chloride	mg	68		
Calcium	mg	65		
Phosphorus	mg	43		
Magnesium	mg	5.9		
Iron	mg	0.71		
Zinc	mg	0.49		
Copper	μg	45		
Manganese	μg	8.4		
Fluoride	μg	6.5		
Selenium	μg	1.2		
	μg	8.1		
lodine				
OTHERS				
OTHERS Choline	mg	13		
OTHERS Choline Taurine	mg mg	4.6		
OTHERS Choline	mg			

FEEDING GUIDE FROM 0-12 MONTHS

Age (months)	Average weight (kg)	Number of feeds per day	Cooled boiled water per feed		Level scoops of powder
			ml	fl oz	or powder
0-1	up to 4	6	90	3	3
1-2	4-6	6	120	4	4
3-5	5-7.5	5	180	6	6
6*and over	over 6.5	3	210	7	7

4.3g scoop enclosed. This information is given as a guide only. Your baby may need more or less than the amounts shown. Note the volume of prepared formula is slightly greater than that of the water added. *Assumes weaning at 6 months.

IMPORTANT FEEDING INSTRUCTIONS

For hygiene reasons, do not store made up feeds. Make up each feed as required and always discard unfinished feeds within 2 hours maximum. The water should be freshly boiled and allowed to cool to a minimum of 70°C, and no longer than 30 minutes. Do not heat feeds in a microwave as hot spots may occur and cause scalding. Do not add extra scoops of powder, or anything else to your baby's feed. STORAGE: Store unopened can in a cool, dry place (do not refrigerate). After opening, keep airtight and continue to store in a cool, dry place. Use contents within 4 weeks.

INGREDIENTS

Pasteurised **goat milk** solids (43%), lactose (from **milk**), vegetable oils (high oleic sunflower, rapeseed, sunflower), minerals, vitamins, acidity regulator (citric acid), choline chloride, antioxidant (sunflower lecithin), L-tryptophan, L-isoleucine, taurine, L-carnitine, antioxidant (tocopherol-rich extract).

VITAMINS:

Ascorbic acid, dl-α-tocopheryl acetate, nicotinamide, retinyl acetate, cholecalciferol, calcium d-pantothenate, phytonadione, cyanocobalamin, thiamin hydrochloride, riboflavin, pyridoxine hydrochloride, folic acid, biotin.

MINERALS:

Calcium hydroxide, sodium citrate, potassium chloride, ferrous sulphate, calcium citrate, zinc sulphate, copper sulphate, manganese sulphate, potassium iodide, sodium selenite.

ALLERGY ADVICE:

For allergens, see ingredients in $\boldsymbol{bold.}$

IMPORTANT

Breastfeeding is best for babies. It is recommended that Nannycare First infant milk is used only on the advice of a doctor, midwife, health visitor, public health nurse, dietitian, pharmacist, or other professional responsible for maternal and child care.

We're here to help.

Any questions? Just ask. Contact our Careline:

UK: **0800 328 5826**

ROI: **1800 937 375**

menquiry@nannycare.co.uk